EVOLUTION

INTERNATIONAL JOURNAL OF ORGANIC EVOLUTION

ZOOLOGY - BOTANY
LIBRARY
COLUMBIA UNIVERSITY

Volume IX, 1955

Published Quarterly

At Prince and Lemon Streets, Lancaster, Pa.

By the

Society for the Study of Evolution

INDEX TO VOLUME IX, 1955

Achrochordidae, 368
adaptation, climatic, 15–25; heterozygosity, apples, 293; termite nests, 172–174
adaptive gene substitution, 1
Allen's rule, 21–23
allometry, crown height of teeth, 107–111, in phylogeny, 111–113
altitudinal races, *Rana pipiens*, 322–328 (map)
Animal Cytology and Evolution (rev.), 101–102
animal orders, and extinction, 91
Anomodontia, 151–156 (fig.)
antigens, 261–279
Apicotermes, 157–181; key to nests, 167; "occultus" group, 162; porifex group, 164; apples, diploid, triploid, 293–294; distributions, 298–299
Atlas of Men (rev.) 102–104
auditory apparatus, 221–243; air conduction, 221; bone conduction, 221; cotylosaur, 223 (fig.); functional theory, 221–242; mechanisms, 224 (fig.); pelycosaur, 223 (fig.); phylogeny, conducting mechanism, 240–241 (figs.); stegocephalian, 223 (fig.); therocephalian, 223 (fig.)
Australian marsupials, 87–92
autoselection, *Myrmica rubra*, 282
Bader, Robert S., 119–140; 484
Baker, H. G., 347–349
Barber, H. N., 1–13
Barrandeoceratida, 248 (fig.), 252
Batesian mimicry, 54–55
Bergman's rule, 21–23
Birch, L. C., 389–399
Blair, W. Frank, 469–480
body insulation, 18
Boidae, 368
Bradybaena similaris, 400–418 (figs.); breeding experiments, 402–404; growth rates, 405; physiological differences, genotypes, 404; population samples, 410
Brattstrom, 217–218
Brevicoceratidae, 248 (fig.); 253
Brian, M. U. and A. D., 280–290
Bufo, 42–51, 455–468; *B. americanus* and *B. fowleri*, 42–51 (behavior, calls, eggs); *B. woodhousei* and *B. valliceps*, 455–468 (frequency natural hybrids, laboratory species crosses)
cellular antigens, *Streptopelia*, 261–279
Cepaea nemoralis, *C. hortensis*, 400
Cellular antigens, *Streptopelia*, 261–279
cephalopods, 244–259; archaic, 247; evolution of 248 (fig.); initiation of coiling, 249–250; orthoconic stocks, 247–248
cherries, diploid, tetraploid, 296–298; distribution, 298–299
Chiricahua, gene arrangement, *Drosophila melanogaster*, 398
chomosomal abborations, 62
chromosome inversions, 62–74
Cistecephalus zone, 155
Clarke, C. A., 182–201
Clarkia biloba, 445–454; cytological observations 450–451; intercolonial hybrids, 450; morphological variation, 445–450
climatic adaptation, 15–25; change and extinction, 88–89
clinal variation, 5–8
coadaptation, *Drosophila melanogaster*, 313–314
coefficient of variation, in species of oreodonts, 126–127; mathematical considerations, 484
coiling, nautiloids, 244–260
Colias, 58
Colubridae, 368
columella, 238
comparative analysis of faunas, 339–344
comparative physiology, chromosomal types, 141–151
competition, *Drosophila melanogaster*, 36–37
convergence, Anomodonts, 152–156; termite nests, 174
coral snake, 217–218
Cory, Brother L., 42–51
cross pairing, frequency in nature, (*Bufo*), 456–457
Crotalidae, 368
Crow, J. F., 202–214
Crustacea, 84–86
Cytology, *Clarkia biloba*, 450–451
DeBeer, R. G., 80–81
Dendrocopos, 317–321 (figs.); biological isolation, 317–318; hybrid and speciation, 317–321
development, patterns of, 77–82; rates of hybrids and controls (*Bufo*) 463–464
Dicynodon, 155
dingo, 89
disruptive selection, 52–61
Dobzhansky, Th., 100–101, 102, 103
Drosophila, 54–57, 215–216; index of variability, 206; *D. melanogaster*, 27–41 (population density and viability), 93–94, 302–316 (coadaptation, gene pools, interpopulation hybrids, larval viability), 353–366 (population dynamics, inversions, mutation, viability); *Dipseudoobsura*, 141–151, (physiology chromosomal types), 389–399 (Chiricahua gene arrangement, crowding, natural populations, selection); *D. robusta*, 62–74 (inversions, linkage in populations)
"Dubinin cycle," 355
Dunn, E. R., 217
ecology, and hybridization (*Bufo*), 42–51
effective population number, measurement of, 203–204

embryos, rate of development (*Rana pipiens*), 327–328
Elapidae, 368
emergence of man, and animal extinction, 89
Emerson, A., 177
Emura, Shigeo, 400–418
environment, of oreodonts, 121–124
environmental correlations, 9
establishment, after dispersal, 347–349
Eucalyptus, Tasmanian, 1–13
evolution, Anomodontia, 152–153; nest building in *Apicotermes*, 157–181, *Notostraca*, 84–86; rates in oreodonts, 119–140
Exocoetidae, 79
extinctions, 87–92
fecundity, *Drosophila pseudoobscura*, 142–143
fertility, *Papilio* hybrids, 196–197
Flower, Rousseau H., 244–260
fruit tree growing, 241–301
gene frequencies in small populations, 202–214
Genesis of Man, 94–99
genetic drift, multi-allelic locus, 419–435
Genetic Homeostasis (rev.), 100–101
genetics, *Machaon* group, 182–201
genotypes, interaction, 37–39
geographic variation, in *Bradybaena similaris*, 411–413
gigantism, 87–88
Gill, E. D., 87–92
glaucousness in *Eucalyptus*, 1–13; clinal variation, 5–8; genetics of, 8
Goldschmidt, E., 353–366
Green, M. M., 215–216
growth rate, *Bradybaena similaris*, 405
Guimarães, L. R., 345–347
Hagedoorn effect, 419
Haldane, J. B. S., 484
Haskell, Gordon, 291–301
Hardy-Weinberg formula, 114; ratios, departures from, 394–396
heterozygous loci, *Drosophila melanogaster*, 306
homeotherms, evolution of climatic adaptation, 15–25
homogamy, 441–444
homologous mutants, eye color, 215–216
homology, urodelan and anuran columella, 238
honey bee, 215–216
hybrid woodpecker (*Dendrocopos*), 317–321
hybridization, and origin of species (*Dendrocopos*) 320; *Bufo*, 42–51; *Bufo woodhousei* and *B. valliceps*, 455–468; *Penstemon*, 441–444
hybrids, intercolonial (*Clarkia biloba*), 450; interpopulation (*Drosophila melanogaster*), 303–316; *Machaon* group, 185; natural (*Bufo*), 457–459; *Penstemon*, 442
Hydrophidae, 368
hypsodonty, mean indices of, 116
index of variability, 205
Inger, R. F., 104–105
interacting genotypes, 37–39; evolutionary significance of, 39–40
interpopulation hybrids (*Drosophila melanogaster*), 302–316
interspecific hybridization (*Bufo*), 455–468
introgression (*Viola*), 436–440
inversions (*Drosophila melanogaster*), 360–361
island faunas, 339–344
isolation, biological, 317–318
Isoptera, 157–181
Irwin, M. R., 261–279
Johnson, R. G., 104–105, 367–388
karyotypes, 62–74
Kimura, Motoo, 419–435
King, R. C., 93–94
Komai, Taku, 400–418
Kurten, B., 107–118
larval, types, 77–82; viability, (*Drosophila melanogaster*), 28–34, 307–308, (*Drosophila pseudoobsura*), 145–146
Lederman-Klein, A., 353–366
Lepidurus, 85–86
Lerner, M., 100–101
Levitan, M., 62–74
Lewis, Harlan, 349–351, 445–454
Lewontin, R. C., 27–41
lice, 345–347
linkage, 62–74
Litudidae, 251
long distance dispersal, 347–349
longevity, *Drosophila pseudoobscura*, 144–145
Longhurst, A. R., 84–86
Loris, 29 (fig.)
Lowe, C. H. Jr., 339–344
Machaon group, 182–201
Macrogyna, *Myrmica rubra*, 280–290
mammals and birds, homeothermy, 15–25
man, 291–301; genesis of, 94–99
Manion, J. J., 42–51
marsupials, 87–92
Mather, K., 52–61
mating call, *Microhyla*, 469–480; characteristics, 470–473; distributional relationships, 475–477; evolutionary satus, 477–479; overlap zone, 473–474
Melandrium, 54
Merychyinae, 122–123 (fig.)
Merycochoerinae, 121–122 (fig.)
Microhyla olivacea, M. carolinensis, 469–480
Microgyna, *Myrmica rubra*, 280–290
middle ear, 221–243; amphibian, 230–231; dinosaurs, 235–236; early reptile, 231; lacertilian, 236–237; mammals, 233–235; ontogeny, 236–238; Salientia, 233; urodeles, 233
Miller, A. H., 317–321
mimic problem, 217–218
mimicry, Batesian, 54–55
Moore, R. C., 481–483
Moos, J. R., 141–151
Morton, N. E., 202–214
mutation, history of a, 107–118
mutations, visible (*Drosophila melanogaster*), 359
Multi-allelic locus, 419–435

Myrmica rubra, 280–290; autoselection, 282; nuptial composition, 282–283; nuptial flights, 281–282; natural populations (*Viola*), 438–440
natural selection (*Drosophila melanogaster*), 36–37
nautiloids, coiling, 244–260 (figs.); endogastric coiling, 256–257; evolution, 248 (fig.); uncoiling, 255–256
neotony, 81
nest (*Apicotermes*), 157–181; behavior in building, 157–181; key, 167; measurements of, 160
Nothoceratidae, 253
Notostraca, 84–86; fossil, 85
Oenothera, 54
Oncocaratidae, 252
ontogeny, and the species problem, 78–79; in evolution, 75–83; in systematics, 75–83; termite nests, 176–177
oreodonts; 119–140
orthoconic nautiloids, Actinoceratida, 249; Ascoceratida, 249; Ellesmeroceratidae, 247; Endoceratida, 247; Michelinoceratida, 249
Orton, G. L., 75–83
"Oudenodon," origin of, 153
Panaxia, 59
Papilo, 60, 182–201; *P. asterius*, 182–183 (fig.); *P. brevicauda*, 182; *P. machaon*, 182–183 (fig.); *P. zelicaon*, 182
paracone height, 109 (fig.)
pearlneck dove, 261–279
Pelanomodon, origin of, 154
Penstemon, homogamy, 444; hybridization, 441–442; morphology, species and hybrids, 442–444; sympatric speciation, 444
Phillipine Amphibia, 104–105 (rev.)
phosphorus, 93
phylogenetic relationship, oreodonts, 121
phylogeny, *Apiocotermes* 161–162 (fig. 166); nautiloids, 248 (fig.); of allometry, 111
phyllopods, 84–86
ploidy ratios, fruit trees by county, 292–293
physiology, chromosomal types, 141–151
polymorphic land snails, 400–418; series, 58
polymorphism, 52–61; *Bradybaena similaris*, 413–414
polyphyletic origin, "Oudenodon," 156 (fig.)
polyploidy, fruit trees, 291–301; sex-linkage, 204
population, density (*Drosophila melanogaster*) 27–41; dynamics (*D. melanogaster*) 353–366; genetics (land snails) 400–418; in genetic drift (423–424)
Primula, 54
protective coloration, 217–218
psychology and extinction, 90–91
Quaternary, 116–117
radiographs, termite nests, 158 (fig. 168)
Rana pipiens, adult morphology, 332–333; altitudinal races, 322–338; hybrid crosses, 329–330; rate of embryo development, 362 (fig.), 327–328
random genetic drift, 419–435, a pair of alleles, 420–423, tri-allelic locus, 424–431, general case (multiple alleles), 431–433
random survival, 207–209
rates of change, oreodonts, 133–134
regressive evolution, 175
Rensch, B., 22–23
ring dove, 261–279
Roberts, Margaret R., 445–454
Ruibal, Rodolfo, 322–338
Russell, N. H., 436–440
Rutoceratidae, 254
Rutten, M. G., 481–483
Saltations, nautiloids, 244–260
shallow shelf seas, oscillations and evolution, 481–482, 482–483
Schmidt, R. S., 157–181
Scholander, P. F., 15–25
Scropholariaceae, 441
Selection, disruptive, 52–61; in *Drosophila pseudoobscura*, 389–399; stabilizing, 52
selective forces, 10–12
self-compatability, 347–349
self-fertility, fruit, 298–299
sexual dimorphism, *Papilio*, 187 (fig. 191)
Sheldon, W. H., 102–104
Sheppard, P. M., 182–201
Simpson, G. G., 80–81, 119, 138
small populations, gene frequency drift, 202–214
snails, genetics, 400–418
snakes, vertebral form, 367–388; analysis of families, 384–388; aquatic, 276; arboreal, 376; characters of vertebrae, 370–374; fossorial, 376; mode of life, 377–378; terrestrial, 376 (figs.)
Society for Study of Evolution, 10th Annual Meeting, 349–351
South American mammals, 345–347
speciation, 56; *Dendrocopos* 317–321; sympatric, 441–444
species problems, 78–82
stratigraphy, of oreodonts, 123–124
Straw, R. M., 441–444
Streptopelia, cellular antigens, 261–279
subspeciation, *Clarkia biloba*, 445–454
sympatric speciation, 441–444
supraorganism, 177–178
survival, random, 207–209
systematics, developmental, 75–76
taxonomic characteristics and habitat, 1–13
temperature, effect on viability, 359
Thornton, W. A., 455–468
Triops, 84–86
Ursus arctos, deningeri, etruscus, spelaeus, 107–118
Vanzolini, P. E., 345–347
variability, in oreodonts, 119–140; length of generation, 136; mutation rate, 134–135; pop-

ulation size, 135–136; selection, 136–137; speciation, 129
variability, of termite nests, 171
variation, clinal in eucalypts, 5–8; coefficient of, 484; geographical (*Clarkia biloba*), 445; measurement of, 484; morphological (*Clarkia biloba*), 444–450
vascular heat exchange, 19–21
vertebral form in snakes, 367–388
viability, *Drosophila melanogaster*, 27–41; 307–308; 354–366
Viola cucullata, V. septentrionalis, 436–440
Viperidae, 368
Wahrman, J., 353–366
Wallace, B., 302–316
Weiss, R., 353–366
White, M. J. D., 101–102
Yeast, 93

FEB 15 1956

TABLE OF CONTENTS

NUMBER 1, MARCH

Adaptive Gene Substitution in Tasmanian Eucalypts. HORACE NEWTON BARBER 1

Evolution of Climatic Adaptation in Homeotherms. P. F. SCHOLANDER 15

The Effects of Population Density and Composition on Viability in *Drosophila melanogaster*. RICHARD LEWONTIN 27

Ecology and Hybridization in the Genus *Bufo* in the Michigan-Indiana Region. BROTHER LAWRENCE CORY and JAMES J. MANION 42

Polymorphism as an Outcome of Disruptive Selection. K. MATHER 52

Studies of Linkage in Populations. Associations of Second Chromosome Inversions in *Drosophila melanogaster*. MAX LEVITAN 62

The Role of Ontogeny in Systematics and Evolution. GRACE L. ORTON 75

Evolution in the Notostraca. ALAN R. LONGHURST 84

The Problem of Extinction with Special References to Australian Marsupials. EDMUND D. GILL 87

Notes and Comments

The Effect of a Yeast upon the Incorporation of Phosphorus into the Tissue of Adult Fruit Flies. ROBERT C. KING 93

The Genesis of Man. LEONARD D. SILLMAN 94

Genetic Homeostasis. THEODOSIUS DOBZHANSKY 100

Animal Cytology and Evolution. THEODOSIUS DOBZHANSKY 101

Atlas of Men. THEODOSIUS DOBZHANSKY 102

Phillipine Amphibia. RALPH G. JOHNSON 104

Corrigenda: Experimental Studies of Distribution of Gene Frequencies in Very Small Populations of *Drosophila melanogaster:* I. Forked (by WARWICK E. KERR and SEWALL WRIGHT, Evolution 8, p. 176) 105

NUMBER 2, JUNE

Contribution to the History of a Mutation During 1,000,000 Years. BJÖRN KURTÉN 107

Variability and Evolutionary Rate in the Oreodonts. ROBERT S. BADER 119

Comparative Physiology of Some Chromosomal Types in *Drosophila pseudoobscura*. JOAN ROSENBAUM MOOS 141

Convergent Trends in Anomodontia. M. J. TOERIEN 152

The Evolutionary Nest-building Behavior in *Apicotermes* (Isoptera). ROBERT S. SCHMIDT 157

A Preliminary Report on the Genetics of the Machaon Groups of Swallowtail Butterflies. C. A. CLARKE and P. M. SHEPPARD 182

Measurement of Gene Frequency Drift in Small Populations. JAMES F. CROW and NEWTON E. MORTON 202

Notes and Comments
Homologous Eye Color in the Honeybee and Drosophila. M. M. GREEN 215
The Coral Snake "Mimic" Problem and Protective Coloration. BAYARD BRATTSTROM 218

NUMBER 3, SEPTEMBER

On the Evolution of the Auditory Conducting Apparatus: A New Theory Based on Functional Consideration. A TUMARKIN 221
Saltations in Nautiloid Coiling. ROUSSEAU H. FLOWER 244
On Interrelationships of the Cellular Antigens of Several Species of Streptopelia. M. R. IRWIN 261
On the Two Forms of Macrogyna and Microgyna of the Ant *Myrmica rubra* L. M. V. BRIAN and A. D. BRIAN 280
Man, Polyploidy and Fruit Tree Growing in Britain. GORDON HASKELL 291
Inter-Population Hybrids in *Drosophila melanogaster*. BRUCE WALLACE ... 302
A Hybrid Woodpecker and Its Significance in Speciation in the Genus *Dendrocopos*. ALDEN H. MILLER 317
A Study of Altitudinal Races in *Rana Pipiens*. RODOLFO RUIBAL 322
An Evolutionary Study of Island Faunas in the Gulf of California, Mexico, with a Method of Comparative Analysis. CHARLES H. LOWE, JR. ... 339
Notes and Comments
South American Land Mammals and Their Lice. P. E. VANZOLINI and L. R. GUIMARÃES 345
Self-compatibility and Establishment After "Long-Distance" Dispersal. H. G. BAKER 347
Tenth Annual Meeting: Society for the Study of Evolution, Secretary's Report 349
Corrigenda 351

NUMBER 4, DECEMBER

A Two Years' Survey of Population Dynamics in *Drosophila melanogaster*. ELIZABETH GOLDSCHMIDT, J. WAHRMAN, A. LEDERMAN-KLEIN, and R. WEISS 353
The Adaptive and Phylogenetic Significance of Vertebral Form in Snakes. RALPH GORDON JOHNSON 367
Selection in *Drosophila pseudoobscura* in Relation to Crowding. L. C. BIRCH 389
A Study of Population Genetics on the Polymorphic Land Snail *Bradybaena similaris*. TAKU KOMAI and SHIGEO EMURA 400
Random Genetic Drift in Multi-Allelic Locus. MOTOO KIMURA 419
Local Introgression Between *Viola cucullata* Ait. and *V. septentrionalis* Green. NORMAN H. RUSSELL 436
Hybridization, Homogamy and Sympatric Speciation. RICHARD M. STRAW 441
Subspeciation in *Clarkia biloba*. MARGARET R. ROBERTS and HARLAN LEWIS 445
Interspecies Hybridization in *Bufo woodhousei* and *Bufo valliceps*. W. A. THORNTON 455

Mating Call and Stage of Speciation in *Microhyla olivacea–M. carolinensis* Complex. W. Frank Blair 469
Notes and Comments
Evolution and Oscillations of Shallow Shelf Seas. N. G. Rutten 481
Expansion and Contraction of Shallow Seas as a Causal Factor in Evolution. Raymond C. Moore 482
The Measurement of Variation. J. B. S. Haldane 484
Editor's Notes 485
Index to Volume IX 486